




yayla dav
Profiles & Accessories

S28 SÜRME SERİSİ

S28 SLIDING SERIES


732

0.704 kg/m




2051

0.946 kg/m




12210

1.176 kg/m




6236

0.966 kg/m




2041

1.105 kg/m




727

0.927 kg/m




2940

0.936 kg/m




2711

1.009 kg/m




11823

1.209 kg/m




761

0.480 kg/m




757

0.703 kg/m




730

0.644 kg/m




731

0.291 kg/m




754

0.664 kg/m




753

0.707 kg/m




775

0.229 kg/m




3594

0.456 kg/m




3595

0.101 kg/m




756

0.150 kg/m




1243

0.434 kg/m




12339

0.703 kg/m







3915
0.572 kg/m




766
0.632 kg/m




707
0.649 kg/m




794
0.700 kg/m




596
0.719 kg/m




708
0.812 kg/m




13124
0.678 kg/m




13123
0.236 kg/m




762
0.833 kg/m




6237
0.875 kg/m




763
1.021 kg/m




709
1.045 kg/m




773
0.728 kg/m




710
0.757 kg/m




768
0.933 kg/m




795
0.933 kg/m




691
0.977 kg/m




692
0.977 kg/m




599
0.997 kg/m




600
0.997 kg/m




769
0.752 kg/m




713
0.809 kg/m




767
0.945 kg/m




714
1.057 kg/m




715
1.532 kg/m




752
1.413 kg/m




760
0.724 kg/m




759
0.307 kg/m



764
0.385 kg/m




2240
0.499 kg/m



758
0.460 kg/m



785
1.017 kg/m





yayla dav
Profiles & Accessories

WD37 SERİSİ WD37 SERIES

755 0.541 kg/m 	4242 0.094 kg/m 	7021 0.140 kg/m 	8241 0.099 kg/m
771 0.165 kg/m 	772 0.225 kg/m 	12699 0.243 kg/m 	793 0.235 kg/m
791 0.246 kg/m 	770 0.270 kg/m 	792 0.301 kg/m 	386 1.088 kg/m
388 1.012 kg/m 	390 1.381 kg/m 	598 1.677 kg/m 	3088 3.498 kg/m
644,646,763 ve 794 nolu profillerin çavuş bağlantısı Corner connection for profiles 644,646,763 and 794	691 ve 692 nolu profillerin çavuş bağlantısı Corner connection for profiles 691 and 692	707 nolu profilin köşe takozu Corner connection for profiles 707	763 ve 794 nolu profillerin köşe takozu Corner connection for profiles 763 and 794
597 4.241 kg/m 	4777 4.598 kg/m 		
691 ve 692 nolu profillerin köşe takozu Corner connection for profiles 691 and 692	691 ve 692 nolu profillerin köşe takozu Corner connection for profiles 691 and 692		



































1780 1.135 kg/m 	1685 0.902 kg/m 	1781 1.269 kg/m 	1782 1.347 kg/m
1905 0.831 kg/m 	1906 1.033 kg/m 	1907 0.934 kg/m 	11959 1.065 kg/m
1908 1.282 kg/m 	1909 0.993 kg/m 	3540 1.196 kg/m 	1910 1.374 kg/m
1686 1.004 kg/m 	1687 1.064 kg/m 	5580 1.110 kg/m 	12229 1.228 kg/m
12747 1.462 kg/m 	11822 0.981 kg/m 	1693 1.001 kg/m 	1790 1.225 kg/m
5156 1.314 kg/m 	1694 1.103 kg/m 	11960 1.248 kg/m 	3541 1.394 kg/m
1783 1.489 kg/m 	1901 1.499 kg/m 	5520 1.684 kg/m 	4687 1.648 kg/m
1788 1.966 kg/m 	2096 2.321 kg/m 	1784 1.180 kg/m 	1691 0.933 kg/m



1785 1.467 kg/m	12059 1.242 kg/m	1692 1.039 kg/m	3545 1.052 kg/m
5158 1.206 kg/m	1786 1.820 kg/m	3943 1.559 kg/m	5157 1.206 kg/m
1787 1.772 kg/m	1660 1.516 kg/m	1900 1.497 kg/m	5519 1.614 kg/m
1902 2.114 kg/m	1789 2.588 kg/m	4356-4357 0.930 kg/m	1793 0.950 kg/m
1792 0.829 kg/m	1791 1.082 kg/m	11925 1.065 kg/m	6569 0.419 kg/m
1794 0.461 kg/m	1779 0.439 kg/m	1913 0.621 kg/m	1795 0.638 kg/m
9664 0.399 kg/m	1681 0.340 kg/m	1912 0.211 kg/m	4251 0.182 kg/m
1911 0.426 kg/m	1904 1.337 kg/m	8241 0.099 kg/m	1755 0.234 kg/m
1783 ve 1785 için Çavuş Bağlantı Corner connection for profiles 1783 and 1785			


1685, 1686, 1687, 1780, 1781 ve 1782 nolu profiller ile çalışır.
Works with profiles 1685-1686-1687-1780-1781 and 1782




1011 0.402 kg/m 	4242 0.094 kg/m 	7021 0.140 kg/m 	12375 0.326 kg/m 
10923 0.295 kg/m 	1722 0.623 kg/m  1704, 1706, 1717, 1718, 1783 ve 2096 nolu profiller ile çalışır. Works with profiles 1704-1706-1717-1718-1783 and 2096	12371 0.469 kg/m 	1775 1.525 kg/m 
2052 1.724 kg/m 	1764 0.312 kg/m 	1948 0.225 kg/m 	1698 0.253 kg/m 
3539 0.277 kg/m 	1699 0.285 kg/m 	1745 0.292 kg/m 	1949 0.306 kg/m 
2236 0.310 kg/m 	1966 0.314 kg/m 	3636 0.321 kg/m 	3536 0.329 kg/m 
1747 0.340 kg/m 	1749 0.356 kg/m 	3537 0.367 kg/m 	5546 0.271 kg/m 
1746 0.279 kg/m 	5527 0.293 kg/m 	1748 0.327 kg/m 	1750 0.342 kg/m 
1662 2.576 kg/m 	1695 2.540 kg/m 	1661 3.629 kg/m 	1663 3.526 kg/m 




1664
3.991 kg/m




1696
3.340 kg/m




3088
3.498 kg/m




1697
4.212 kg/m



1903
6.162 kg/m
































1398
5.085 kg/m






55-1700-1701 1.353 kg/m 	55-1702-1703 1.534 kg/m 	55-1704-1705 1.593 kg/m 	55-1706-1707 1.856 kg/m
55-5551-5554 1.366 kg/m 	55-5553-5555 1.657 kg/m 	55-1700-1768 1.271 kg/m 	55-1702-1770 1.426 kg/m
55-1936-1937 1.195 kg/m 	55-1974-1975 1.328 kg/m 	55-5550-5551 1.240 kg/m 	55-12807-6500 1.455 kg/m
55-5552-5553 1.494 kg/m 	55-1706-1771 1.748 kg/m 	55-1704-1769 1.510 kg/m 	55-1972-1973 1.411 kg/m
55-3548-3549 1.661 kg/m 	55-1932-1933 1.478 kg/m 	55-1771-2288 2.057 kg/m 	55-1707-2288 2.165 kg/m
55-7110-7111 1.754 kg/m 	55-1769-5393 1.660 kg/m 	55-1705-5393 1.741 kg/m 	55-5152-5153 1.564 kg/m
55-5159-5153 1.714 kg/m 	55-5130-5131 1.619 kg/m 	55-2820-5551 1.484 kg/m 	55-3550-3551 1.222 kg/m
55-5556-5557 1.360 kg/m 	55-3558-3559 1.320 kg/m 	55-1708-1709 1.359 kg/m 	55-3562-3563 1.451 kg/m

55-6502-6503 1.496 kg/m 	55-3560-3561 1.480 kg/m 	55-1710-1711 1.583 kg/m 	55-1712-1713 1.603 kg/m 
55-1642-1643 1.550 kg/m 	55-3564-3565 1.545 kg/m 	55-6504-6505 1.637 kg/m 	55-5558-5559 1.660 kg/m 
55-3944-3945 1.760 kg/m 	55-3566-3567 1.767 kg/m 	55-1714-1715 1.898 kg/m 	55-5569-5573 1.450 kg/m 
55-5571-5572 1.430 kg/m 	55-5569-5570 1.643 kg/m 	55-5568-5569 1.647 kg/m 	55-8442-8443 2.169 kg/m 
55-5588-5589 1.740 kg/m 	55-5525-5526 2.131 kg/m 	55-5574-5575 2.055 kg/m 	55-5150-5151 1.641 kg/m 
55-12097-12098 1.888 kg/m 	55-5160-5161 2.020 kg/m 	55-5585-5586 2.032 kg/m 	55-4303-4304 2.080 kg/m 
55-3568-3569 2.095 kg/m 	55-1724-1725 2.515 kg/m 	55-3570-3571 2.357 kg/m 	55-4359-4360 2.142 kg/m 
55-5576-5577 2.077 kg/m 	55-3574-3575 2.406 kg/m 	55-1950-1951 2.605 kg/m 	55-5162-5163 2.505 kg/m 




55-1700-1716

1.387 kg/m




55-1702-1761

1.570 kg/m




55-3576-3577

1.286 kg/m




55-3578-3579

1.518 kg/m




55-1640-1641

1.735 kg/m




55-1706-1718

1.888 kg/m




55-5564-5565

1.411 kg/m




55-6500-6501

1.644 kg/m




55-5566-5567

1.663 kg/m




55-3637-3638

1.506 kg/m




55-3639-3640

1.782 kg/m




55-1704-1717

1.625 kg/m




55-1650-1651

1.821 kg/m




55-5521-5522

2.272 kg/m




55-4300-4301

2.041 kg/m




55-1719-1720

2.839 kg/m




55-4300-4302

2.151 kg/m




55-5154-5155

2.370 kg/m




55-1720-1721

2.977 kg/m




55-5523-5524

3.952 kg/m




55-9788-9789

4.386 kg/m




55-3640-3542

2.376 kg/m




55-1718-8007

2.786 kg/m




55-11923-1727

1.289 kg/m




55-11924-5579

1.184 kg/m




55-1762-1763

1.190 kg/m




55-1734-1735

1.465 kg/m




55-1952-1953

1.397 kg/m




55-1728-1729

1.337 kg/m




1911

0.425 kg/m




1912

0.211 kg/m




1681

0.340 kg/m







55-4356-4357
0.930 kg/m




1011
0.402 kg/m




7021
0.140 kg/m




4242
0.094 kg/m




4358
0.316 kg/m




12375
0.326 kg/m




10923
0.295 kg/m



8241
0.099 kg/m




1773
0.985 kg/m




1774
0.365 kg/m




1722
0.623 kg/m




1755
0.234 kg/m




9692
0.240 kg/m




11416
0.135 kg/m




1764
0.312 kg/m




2052
1.724 kg/m




1661
3.629 kg/m




1662
2.576 kg/m



1695
2.540 kg/m




3546
3.357 kg/m




1640,1641,1642,1643 nolu profillerin köşe takozu
Corner connection for profiles 1640,1641,1642 and 1643

1696
3.340 kg/m




7022
3.952 kg/m




3698
4.604 kg/m




1663
3.526 kg/m




7040
3.998 kg/m




1664
3.991 kg/m




597
4.241 kg/m




3547
4.884 kg/m



1398
5.089 kg/m




1760
8.436 kg/m



1736
0.210 kg/m



1948
0.225 kg/m





1698 0.253 kg/m 	3539 0.277 kg/m 	1699 0.285 kg/m 	1745 0.292 kg/m
1949 0.306 kg/m 	2236 0.310 kg/m 	1966 0.314 kg/m 	3636 0.321 kg/m
3536 0.329 kg/m 	1747 0.340 kg/m 	1749 0.356 kg/m 	3537 0.367 kg/m
5546 0.271 kg/m 	1746 0.279 kg/m 	5527 0.293 kg/m 	1748 0.327 kg/m
1750 0.342 kg/m 			

HEMYÜZ SİSTEM

SYMMETRICAL SYSTEM

(Birlikte çalışırlar ,Orta kayıt ve Etek Profilleri Kanat Profili içerisinde ek olarak kullanılabilir.)
(These profiles work together. Mullion and End profiles can be used with in sash profiles.)


55-1737-1738 1.661 kg/m 	55-1739-1740 1.672 kg/m 	55-1741-1742 2.355 kg/m 	55-1743-1744 2.351 kg/m
55-1730-1731 1.026 kg/m 	55-1732-1733 1.027 kg/m 		




64-1700-1701 1.423 kg/m 	64-1702-1703 1.604 kg/m 	64-1704-1705 1.663 kg/m 	64-1706-1707 1.926 kg/m
64-5551-5554 1.436 kg/m 	64-5553-5555 1.727 kg/m 	64-1700-1768 1.341 kg/m 	64-1702-1770 1.496 kg/m
64-1936-1937 1.263 kg/m 	64-1974-1975 1.413 kg/m 	64-5550-5551 1.310 kg/m 	55-12807-6500 1.531 kg/m
64-5552-5553 1.539 kg/m 	64-1706-1771 1.818 kg/m 	64-1704-1769 1.580 kg/m 	64-1972-1973 1.543 kg/m
64-3548-3549 1.731 kg/m 	64-1932-1933 1.548 kg/m 	64-1771-2288 2.127 kg/m 	64-1707-2288 2.235 kg/m
64-7110-7111 1.824 kg/m 	64-1769-5393 1.730 kg/m 	64-1705-5393 1.811 kg/m 	64-5152-5153 1.634 kg/m
64-5159-5153 1.784 kg/m 	64-5130-5131 1.689 kg/m 	64-2820-5551 1.554 kg/m 	64-3550-3551 1.290 kg/m
64-5556-5557 1.423 kg/m 	64-3558-3559 1.375 kg/m 	64-1708-1709 1.422 kg/m 	64-3562-3563 1.514 kg/m



64-6502-6503
1.572 kg/m



64-3560-3561
1.550 kg/m



64-1710-1711
1.646 kg/m



64-1712-1713
1.666 kg/m



64-1642-1643
1.613 kg/m




64-3564-3565
1.608 kg/m




64-6504-6505
1.700 kg/m




64-5558-5559
1.723 kg/m




64-3944-3945
1.823 kg/m




64-3566-3567
1.830 kg/m




64-1714-1715
1.961 kg/m




64-5569-5570
1.706 kg/m




64-5568-5569
1.710 kg/m




64-5569-5573
1.513 kg/m




64-8442-8443
2.232 kg/m




64-5571-5572
1.493 kg/m




64-5588-5589
1.803 kg/m




64-5525-5526
2.201 kg/m




64-5150-5151
1.704 kg/m




64-12097-12098
1.948 kg/m




64-5160-5161
2.090 kg/m




64-5574-5575
2.118 kg/m




64-5585-5586
2.095 kg/m




64-4303-4304
2.143 kg/m




64-3568-3569
2.158 kg/m




64-1724-1725
2.578 kg/m




64-3570-3571
2.420 kg/m




64-4359-4360
2.205 kg/m




64-5576-5577
2.131 kg/m




64-3574-3575
2.469 kg/m



64-5162-5163
2.568 kg/m




64-1950-1951
2.626 kg/m







64-3578-3579
1.588 kg/m




64-1700-1716
1.457 kg/m




64-1702-1761
1.640 kg/m




64-3576-3577
1.356 kg/m




64-1640-1641
1.805 kg/m




64-5564-5565
1.481 kg/m




64-6500-6501
1.714 kg/m




64-5566-5567
1.733 kg/m




64-3637-3638
1.576 kg/m




64-3639-3640
1.852 kg/m




64-1706-1718
1.958 kg/m




64-1704-1717
1.695 kg/m




64-1650-1651
1.865 kg/m




64-5521-5522
2.342 kg/m




64-4300-4301
2.111 kg/m




64-1719-1720
2.893 kg/m




64-5154-5155
2.440 kg/m




64-4300-4302
2.217 kg/m




64-1720-1721
3.031 kg/m




64-5523-5524
4.022 kg/m




64-9788-9789
4.456 kg/m




64-3640-3542
2.446 kg/m




55-1718-8007
2.786 kg/m




64-11924-5579
1.230 kg/m



64-11923-1727
1.326 kg/m



64-1734-3543
1.405 kg/m



64-5547-1953
1.649 kg/m




64-1728-1729
1.407 kg/m




64-1762-1763
1.190 kg/m




1911
0.425 kg/m



1681
0.340 kg/m



1912
0.211 kg/m



1773 0.985 kg/m 	1774 0.365 kg/m 	1722 0.623 kg/m 1704, 1706, 1717, 1718, 1783 ve 2096 nolu profiller ile çalışır. Works with profiles 1704-1706-1717-1718-1783 and 2096	64-4356-4357 1.000 kg/m
1011 0.402 kg/m 	7021 0.140 kg/m 	4242 0.094 kg/m 	4358 0.316 kg/m
12375 0.326 kg/m 	10923 0.295 kg/m 	8241 0.099 kg/m 	1755 0.234 kg/m
2052 1.724 kg/m 	1764 0.312 kg/m 	11416 0.135 kg/m 	1662 2.576 kg/m
1695 2.540 kg/m 	1661 3.629 kg/m 1640, 1641, 1642, 1643 nolu profillerin köşe takozu Corner connection for profiles 1640, 1641, 1642 and 1643	3546 3.357 kg/m 	1663 3.526 kg/m
1696 3.340 kg/m 	7022 3.952 kg/m 	7040 3.998 kg/m 	1664 3.991 kg/m
597 4.241 kg/m 	3698 4.604 kg/m 	3547 4.884 kg/m 	1398 5.089 kg/m
1760 8.436 kg/m 	1736 0.210 kg/m 	1948 0.235 kg/m 	1698 0.270 kg/m



3539 0.277 kg/m 	1699 0.285 kg/m 	1745 0.292 kg/m 	1949 0.306 kg/m
2236 0.310 kg/m 	1966 0.314 kg/m 	3636 0.321 kg/m 	3536 0.329 kg/m
1747 0.340 kg/m 	1749 0.356 kg/m 	3537 0.367 kg/m 	5546 0.271 kg/m
1746 0.279 kg/m 	5527 0.293 kg/m 	1748 0.327 kg/m 	1750 0.342 kg/m

HEMYÜZ SİSTEM

SYMMETRICAL SYSTEM

(Birlikte çalışırlar ,Orta kayıt ve Etek Profilleri Kanat Profili içerisinde ek olarak kullanılabilir.)

(These profiles work together. Mullion and End profiles can be used with in sash profiles.)

64-1737-1738 1.731 kg/m 	64-1739-1740 1.742 kg/m 	64-1741-1742 2.425 kg/m 	64-1743-1744 2.421 kg/m
64-1730-1731 1.096 kg/m 	64-1732-1733 1.097 kg/m 		



10670 0.363 kg/m 	10671 0.407 kg/m 	10672 0.468 kg/m 	10673 0.591 kg/m
10674 0.640 kg/m 	10675 0.745 kg/m 	10676 0.858 kg/m 	10677 0.915 kg/m
10678 0.972 kg/m 	10679 1.029 kg/m 	10680 1.164 kg/m 	10681 1.408 kg/m
10682 1.587 kg/m 	10683 1.868 kg/m 	10684 2.593 kg/m 	
570 0.428 kg/m 	571 0.458 kg/m 	572 0.580 kg/m 	573 0.629 kg/m
574 0.733 kg/m 	575 0.845 kg/m 	582 0.964 kg/m 	576 1.026 kg/m
577 1.157 kg/m 	578 1.297 kg/m 	579 1.390 kg/m 	580 1.568 kg/m
581 1.846 kg/m 			